


PLEASE NOTE:


1. DO NOT SCALE
2. All dimensions in millimeters unless otherwise noted. Structural sections to be designed by others. Evolution fasteners specified in accordance with material loads provided by project specific Engineer. Evolution fasteners must be installed as per best practice or manufacturers guidelines.
3. Due to the nature of the product, this drawing is provided strictly without prejudice, without recourse, without liability, non-assumpsit, no assured value, errors and omissions excepted, subject to change without notice and all rights reserved. This drawing remains the intellectual property of Evolution Fasteners UK Ltd and must not be copied, altered or reproduced without the expressed, written approval of Evolution Fasteners UK Ltd. This drawing supersedes all previous versions and is subject to change without notice, as such dimensions may not match historical stock or product.




Evolution Fasteners UK Ltd			
DESCRIPTION:	A4IS Range	SHEET:	ISSUE:
		01	J
THREAD AND HEAD MATERIAL GRADE:	DRILLING POINT MATERIAL GRADE:		
EN 1.4401/ A4 (AISI 316)	SAE C1022		
COATING:			
Electroplated Zinc $\geq 5\mu\text{m}$			

PLEASE NOTE:


1. DO NOT SCALE
2. All dimensions in millimeters unless otherwise noted. Structural sections to be designed by others. Evolution fasteners specified in accordance with material loads provided by project specific Engineer. Evolution fasteners must be installed as per best practice or manufacturers guidelines.
3. Due to the nature of the product, this drawing is provided strictly without prejudice, without recourse, without liability, non-assumpsit, no assured value, errors and omissions excepted, subject to change without notice and all rights reserved. This drawing remains the intellectual property of Evolution Fasteners UK Ltd and must not be copied, altered or reproduced without the expressed, written approval of Evolution Fasteners UK Ltd. This drawing supersedes all previous versions and is subject to change without notice, as such dimensions may not match historical stock or product.




A4IS120





A4IS140




A4IS160




A4IS180

Evolution Fasteners UK Ltd		
DESCRIPTION: A4IS Range	SHEET: 02	ISSUE: J
THREAD AND HEAD MATERIAL GRADE: EN 1.4401/ A4 (AISI 316)	DRILLING POINT MATERIAL GRADE: SAE C1022	
COATING: Electroplated Zinc $\geq 5\mu\text{m}$		
		




A4IS200





**PLEASE NOTE:**



- DO NOT SCALE**
- All dimensions in millimeters unless otherwise noted. Structural sections to be designed by others. Evolution fasteners specified in accordance with material loads provided by project specific Engineer. Evolution fasteners must be installed as per best practice or manufacturers guidelines.
- Due to the nature of the product, this drawing is provided strictly without prejudice, without recourse, without liability, non-assumit, no assured value, errors and omissions excepted, subject to change without notice and all rights reserved. This drawing remains the intellectual property of Evolution Fasteners UK Ltd and must not be copied, altered or reproduced without the expressed, written approval of Evolution Fasteners UK Ltd. This drawing supersedes all previous versions and is subject to change without notice, as such dimensions may not match historical stock or product.




A4IS220



A4IS240




A4IS260



<b>Evolution Fasteners UK Ltd</b>		
DESCRIPTION:	SHEET:	ISSUE:
A4IS Range	03	J
THREAD AND HEAD MATERIAL GRADE:	DRILLING POINT MATERIAL GRADE:	
EN 1.4401/ A4 (AISI 316)	SAE C1022	
COATING:		
Electroplated Zinc $\geq 5\mu\text{m}$		
	<b>evolution</b>	


PLEASE NOTE:

1. **DO NOT SCALE**
2. All dimensions in millimeters unless otherwise noted. Structural sections to be designed by others. Evolution fasteners specified in accordance with material loads provided by project specific Engineer. Evolution fasteners must be installed as per best practice or manufacturers guidelines.
3. Due to the nature of the product, this drawing is provided strictly without prejudice, without recourse, without liability, non-assumpit, no assured value, errors and omissions excepted, subject to change without notice and all rights reserved. This drawing remains the intellectual property of Evolution Fasteners UK Ltd and must not be copied, altered or reproduced without the expressed, written approval of Evolution Fasteners UK Ltd. This drawing supersedes all previous versions and is subject to change without notice, as such dimensions may not match historical stock or product.



Evolution Fasteners UK Ltd

DESCRIPTION:	A4IS Range	SHEET:	04	ISSUE:	J
THREAD AND HEAD MATERIAL GRADE:	EN 1.4401/ A4 (AISI 316)	DRILLING POINT MATERIAL GRADE:	SAE C1022		
COATING:	Electroplated Zinc $\geq 5\mu\text{m}$				



**evolution**