

for all common pressfitting systems

**Select REMS pressing tongs Mini/
 REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the REMS pressing tongs Mini/pressing rings which are highlighted in yellow in the table. Adapter tongs (page 154) are necessary for driving the REMS pressing rings (PR).

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Driven by REMS Mini-Press ACC, REMS Mini-Press 22 V ACC and REMS Mini-Press S 22 V ACC. Read and follow the installation and assembly instructions of the system provider/manufacturer.

REMS pressing tongs Mini (PZ-2B)

REMS Mini pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (**Patent EP 1 952 948**). Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing (**Patent EP 2 347 862**).

REMS Mini ACz, Fz, HEz, RFz, RFlz pressing tongs with teeth prevent formation of burr on the pressing sleeve (**Patent EP 2 027 971**).

REMS pressing ring 45° (PR-2B)

REMS pressing ring 45° (PR-2B), with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access by 45° inclination (**Patent EP 2 774 725**). Adapter tongs are required for driving pressing rings 45° (PR-2B), see page 154.

Traceability according to EN 1775:2007

REMS pressing tongs Mini with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



Patent EP 1 952 948
 Patent EP 2 347 862

German Quality Product



REMS Mini pressing tongs (PZ-2B)



REMS pressing ring 45° (PR-2B)
 Patent EP 2 774 725

Confirmation of suitability

See page 193.


Hold-Harmless and Indemnification Agreement

See page 194.




REMS pressing tongs Mini
REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC



Pressing tongs with teeth
 Patent EP 2 027 971



Example REMS pressing tongs Mini V:
 "V" imprint on pressed fitting for
 traceability according to EN 1775:2007

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22 V ACC and REMS Mini-Press S 22 V ACC

System	Pressing contour	Art.-No.
A		
AC-FIX PRESS (Global Piping Systems)	H 12 H 16 H 20 H 25 H 32 RFz 12 RFz 16 RFz 20 RFz 25 RFz 32 U 16 U 20 U 25 U 32 VX 16 VX 20	578396 578400 578406 578408 578412 578490 578492 578494 578496 578498 578374 578378 578380 578382 578552 578554
AC-FIX PRESS DUO (Global Piping Systems)	RFz 16 RFz 20 RFz 25 RFz 32 TH 16 TH 20 TH 25 TH 26 TH 32 U 16 U 20 U 25 U 32	578492 578494 578496 578498 578352 578358 578360 578362 578364 578374 578378 578380 578382
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16 H 18 H 20 H 25 H 32 RFz 16 RFz 20 RFz 25 RFz 32 U 16 U 18 U 20 U 25 U 32	578400 578404 578406 578408 578412 578492 578494 578496 578498 578374 578376 578378 578380 578382
ACOME ACOPEX ALU	H 16 H 20 H 26 H 32 TH 16 TH 20 TH 26 TH 32 U 16 U 20 U 32	578400 578406 578410 578412 578352 578358 578362 578364 578374 578378 578382
ACOME MT	ACz 12 ACz 16 ACz 20 ACz 25	578608 578610 578612 578614
AHSELL A-press elförzinkad	M 12 M 15 M 18 M 22 M 28 M 35 M 12 45° (PR-2B) ³⁾ M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578310 578312 578314 578316 578318 578390 574520 574522 574524 574526 574528 574530
AHSELL A-press koppar	V 12 V 15 V 18 V 22 V 28 V 35 V 12 45° (PR-2B) ³⁾ V 15 45° (PR-2B) ³⁾ V 18 45° (PR-2B) ³⁾ V 22 45° (PR-2B) ³⁾ V 28 45° (PR-2B) ³⁾ V 35 45° (PR-2B) ³⁾	578324 578328 578332 578334 578336 578604 574502 574504 574506 574508 574510 574512
AHSELL A-press rostfritt	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
AIRBEL PRESSCLIM	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
AIRBEL SERTINOX	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530

System	Pressing contour	Art.-No.
ALB Sistema Multicapa	TH 16 TH 18 TH 20 TH 26 TH 32 H 16 H 18 H 20 H 26 H 32 U 16 U 18 U 20 C 26 U 32 U 40	578352 578356 578358 578362 578364 578400 578404 578406 578410 578412 578374 578378 578392 578382 578386
ALB Sistema Multicapa Gas	TH 16 TH 20 TH 26 TH 32 H 16 H 20 H 26 H 32 U 16 U 20 C 26 U 32	578352 578358 578362 578364 578400 578406 578410 578412 578374 578378 578392 578382
ALTECH Altech	RFz 12 RFz 16 RFz 20 RFz 25	578490 578492 578494 578496
APE Serie AP	B 16 B 20 B 26 B 32 H 16 H 20 H 26 H 32 TH 16 TH 18 TH 20 TH 26 TH 32 U 16 U 20 U 40	578468 578472 578474 578476 578400 578406 578410 578412 578352 578356 578358 578362 578364 578374 578378 578382
APE Serie AP Gas	TH 16 TH 20 TH 26 TH 32	578352 578358 578362 578364
AQUATECHNIK Press-fitting metal	H 16 H 20 H 32 TH 16 TH 20 TH 32 U 16 U 20 U 32	578400 578406 578412 578352 578358 578364 578374 578378 578382
AQUATECHNIK Universal	H 16 H 20 H 26 H 32 TH 16 TH 20 TH 26 TH 32 U 16 U 20 U 32	578400 578406 578410 578412 578352 578358 578362 578364 578374 578392 578382
ARKA DUROsystem	H 16 H 20 H 25 H 26 H 32 TH 16 TH 20 TH 25 TH 26 TH 32 U 16 U 20	578400 578406 578408 578410 578412 578352 578358 578360 578362 578364 578374 578378
Aschl NIR	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
ASSOTHERM IPC-RAC Carbon Steel	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
ASSOTHERM IPI-RAX Inox	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530

System	Pressing contour	Art.-No.
ASSOTHERM IPI-RAX Inox Gas	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
ASSOTHERM IPM-Multistrato	H 16 H 20 H 26 H 32 TH 16 TH 20 TH 26 TH 32 THL 32 TH 40 U 16 U 20 C 26 U 32	578400 578406 578410 578412 578352 578358 578362 578364 578368 578624 578374 578378 578392 578382
ASSOTHERM IPR-RRA Copper	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
ASSOTHERM IPR-RRA Copper Gas	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) ³⁾ M 18 45° (PR-2B) ³⁾ M 22 45° (PR-2B) ³⁾ M 28 45° (PR-2B) ³⁾ M 35 45° (PR-2B) ³⁾	578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US ¾" US ½" US ¾" US 1"	578534 578536 578538 578540
AYOR FIXOCONNECT Press	H 12 H 16 H 20 H 25 RFz 12 RFz 16 RFz 20 RFz 25 U 16 U 20 U 25	578396 578400 578406 578408 578400 578492 578494 578496 578374 578378 578380
AYOR FIXOMULTIX	H 16 H 20 H 26 H 32 TH 16 TH 20 TH 26 TH 32 U 16 U 20 U 32 U 40	578400 578406 578410 578412 578352 578358 578362 578364 578374 578378 578382 578386
AYOR SOMATHERM FOR YOU -1	H 16 H 20 H 26 TH 16 TH 20 TH 26 U 16 U 20	578400 578406 578410 578352 578358 578362 578374 578378
AYOR SOMATHERM FOR YOU -2	H 12 H 16 H 20 H 25 RFz 12 RFz 16 RFz 20 RFz 25 U 16 U 20	578396 578400 578406 578408 578490 578492 578494 578496 578374 578378
B		
Bampi BALPEX serie LP	H 16 H 18 H 20 H 26 H 32 TH 16 TH 18 TH 20 TH 26 TH 32 U 16 U 20	578400 578404 578406 578410 578412 578352 578356 578358 578362 578364 578374 578378
Bampi BALPEX serie MP	TH 16 TH 18 TH 20 TH 26 TH 32 TH 40	578352 578356 578358 578362 578364 578624
Bampi BALPEX Gas	TH 16 TH 20 TH 26	578352 578358 578362

System	Pressing contour	Art.-No.	
BARBI EASYPRESS (Industrial Blansol)	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	BARBI MULTIPEX (Industrial Blansol)	H 14	578398
		H 16	578400
		H 18	578404
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
RFz 16		578492	
RFz 18		578638	
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
BEGETUBE/ IVAR		B 14	578466
	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	BRASELI GPF GAS	TH 16	578352
		TH 20	578358
		TH 25	578360
		TH 32	578364
	BRASELI Pressfitting PE-X	RFz 16	578492
		RFz 20	578494
		RFz 25	578496
		RFz 32	578498
	BRASELI Pressfitting Multicapa	U 16	578374
		U 18	578376
		U 20	578378
U 25		578380	
U 32		578382	
Brass Form Master Press	H 16	578400	
	H 18	578404	
	H 20	578406	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	U 16	578374	
Brass & Fittings PRESSMAN MultiPress	RFz 16	578492	
	RFz 18	578638	
	ACz 20	578612	
	RFz 25	578496	
	RFz 32	578498	
Brass & Fittings PRESSMAN RetiPress	RFz 16	578492	
	RFz 18	578638	
	ACz 20	578612	
	RFz 25	578496	
	RFz 32	578498	
BRASSTECH MULTItermoSAN Brasspress	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 18	578376	
	U 20	578378	
C 26	578392		
U 32	578382		

System	Pressing contour	Art.-No.	
C			
Cello Products Press	VUS ½" (OD 15,9mm)	578566	
	VUS ¾" (OD 22,2mm)	578568	
	VUS 1" (OD 28,6mm)	578570	
	VUS 1½" (OD 34,9mm)	578606	
CHIALI	TH 16	578352	
CHIALIPEX	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
Climatek Clima Therm	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
Climatek Clima Therm	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Climatrix	H 16	578400
H 20		578406	
U 16		578374	
U 20		578378	
Climatrix Climatrix Rhinopex	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
Climatrix Climatrix Rhinopex	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Comap	RFz 12	578490
RFz 16		578492	
RFz 20		578494	
RFz 25		578496	
Comap Multiskin	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
Comap Multiskin	TH 26	578362	
	TH 32	578364	
	THL 32	578368	
	TH 40	578624	
Comap Multiskin Gas	U 16	578374	
	U 20	578378	
	U 32	578382	
	U 32	578382	
Comap Multiskin Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	THL 32	578368	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	COMISA Press System	TH 14	578348
		TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 25	578360
		TH 26	578362
		TH 32	578364
		TH 40	578624
		H 14	578398
H 16		578400	
H 18		578404	
H 20		578406	
H 26		578410	
H 32		578412	
B 14		578466	
B 16		578468	
B 18		578470	
B 20	578472		
B 26	578474		
B 32	578476		
COMISA Press System Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	

System	Pressing contour	Art.-No.
CONEL CONNECT MULTI	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	(DN 26)	U 16
U 20		578378
U 25		578380
U 32		578382
VP 16		578482
VP 20		578484
VP 32		578488
D		
DIWAsystems	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
DUOFIL MKSYSYSTEM	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
DUOFIL MKSYSYSTEM	U 20	578378
	U 25	578380
	U 32	578382
	DW Verbundrohr multitubo systems	U 16
U 18		578376
U 20		578378
U 25		578380
DW Verbundrohr multitubo systems	U 32	578382
	U 16	578374
	U 18	578376
	U 20	578378
DW Verbundrohr multitubo systems	U 25	578380
	U 32	578382
	U 16	578374
	U 18	578376
DW Verbundrohr multitubo systems	U 20	578378
	U 25	578380
	U 32	578382
	E	
EBRILLE Isomonflex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
	TH 26	578362
	U 32	578382
EBRILLE Monflex	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
	TH 26	578362
EFFEBI PRESSTIGE	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15	578328
	V 18	578332
	V 22	578334
EFFEBI TOF-GAS MULTIPINZA	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 16	578400
	H 20	578406
H 26	578410	
H 32	578412	
U 16	578374	
U 20	578378	
U 26	578382	
U 32	578382	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22 V ACC and REMS Mini-Press S 22 V ACC

System	Pressing contour	Art.-No.	
EFFEBI TOF MULTIPINZA	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	F 16	578456	
	F 18	578458	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	Fz 40	578478	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
	U 40	578386	
	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	B 32	578476	
EFIELD MULTILAYER PRESS DINGAS	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
EFIELD MULTILAYER PRESS WATER	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
Elkhart APOLLOXPRESS Fittings Copper and Low-Lead Brass	VUS ½" (OD 15,9mm)	578566	
	VUS ¾" (OD 22,2mm)	578568	
	VUS 1" (OD 28,6mm)	578570	
	VUS 1¼" (OD 34,9mm)	578606	
EMMETT GERPEX- FIVPRESS	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	H 16	578400	
	H 20	578406	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
	EMPUR	TH 15	578350
TH 17		578354	
TH 20		578358	
EURACCORDI SYCPRESS STAINLESS STEEL PRESS FITTINGS	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
EURACCORDI SYCPRESS CARBON STEEL PRESS FITTINGS	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
EUROTUBI EUROPA C-Steel Pressfitting System M-Profile ¹⁾	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	EUROTUBI EUROPA Inox Pressfitting System M-Profile ¹⁾	M 15	578312
		M 18	578314
		M 22	578316
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
Evans Components Presslok		VAU 15 (½")	578630
		VAU 20 (¾")	578632
		VAU 25 (1")	578634

System	Pressing contour	Art.-No.	
F			
FAR Rubinerterrie PRESSFAR	TH 14	578348	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	H 14	578398	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	F.B.Q. BARONIO BQ press	V 12	578324
		V 14	578326
		V 15	578328
		V 16	578330
		V 18	578332
		V 22	578334
		V 28	578336
		V 35	578604
		V 12 45° (PR-2B) ³⁾	574502
		V 14 45° (PR-2B) ³⁾	574532
		V 15 45° (PR-2B) ³⁾	574504
V 16 45° (PR-2B) ³⁾		574534	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
F.B.Q. BARONIO BQ press carbon steel	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
F.B.Q. BARONIO BQ press gas	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
Fercofloor DUO Press FERCO PEX	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
	Fercofloor DUO Press MULTIFER	RFz 16	578492
		RFz 20	578494
RFz 25		578496	
RFz 32		578498	
TH 16		578352	
TH 20		578358	
TH 25		578360	
TH 32		578364	
U 16		578374	
U 18		578376	
U 20	578378		
U 25	578380		
U 32	578382		
FILINOX Instalpress Steel	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
FILINOX Instalpress Inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
Fittings Estándar ECO-PRESS	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
Fittings Estándar MULTICAPA	RFz 16	578492	
	RFz 18	578638	
	RFz 20	578494	
	RFz 25	578496	
Fittings Estándar PE-X	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	

System	Pressing contour	Art.-No.
FOHS HEIZTECHNIK FOHSPRESS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
FORNARA ForPress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
FRABO Chrompress	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
FRABO Frabopress 316 GAS	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO Frabopress 316 GAS-M	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO Frabopress 316 Securfrabo	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
FRABO Frabopress 316 Securfrabo-M	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
FRABO Frabopress C-Steel Securfrabo	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
FRABO Frabopress C-Steel Securfrabo-M	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
FRABO Frabopress GAS	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
FRABO	M 12	578310
Frabopress	M 15	578312
GAS-M	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO	V 12	578324
Frabopress H ₂ O	V 15	578328
Securfrabo	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO	M 12	578310
Frabopress H ₂ O	M 15	578312
Securfrabo-M	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO	H 16	578400
FRABOPRESS	H 20	578406
MULTI-BRASS	TH 16	578352
(MB)	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
FRABO	V 12	578324
Frabopress	V 15	578328
Securfrabo	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO	M 22	578316
Frabopress	M 22 45° (PR-2B) ³⁾	574526
TS PRESS	V 22	578334
	V 22 45° (PR-2B) ³⁾	574508
FRABO	V 15	578328
Solarpress	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
Fränkische	B 16	578468
alplex-duo	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364

System	Pressing contour	Art.-No.
Fränkische	F 16	578456
alplex F50 PROFIL	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
(DN 26)	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Fränkische	F 20	578460
alplex-gas	F 26	578462
	F 32	578464
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
Fränkische	Fz 40	578478
alplex L		
G		
gabotherm H+S	TH 10	578342
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
Gallagher USA	H 12 (1/4")	578396
YogaPipe ACR	U 14 (3/8")	578372
	U 16 (1/2")	578374
	U 18 (5/8")	578376
	U 20 (3/4")	578378
	U 25 (1")	578380
	U 32 (1 1/8")	578382
Geberit Mapress	M 12	578310
C-STAHl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 12	578310
EDELSTAHL	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 15	578312
EDELSTAHL Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 12	578310
KUPFER	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530

System	Pressing contour	Art.-No.
Geberit Mapress	M 15	578312
KUPFER Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mepla	G 16	578444
	G 20	578446
	G 26	578448
	G 32	578450
	G 40	578452
Geberit Mepla	G 16	578444
Therm	G 20	578446
	G 26	578448
Geberit Volex	TH 16	578352
	TH 20	578358
	TH 26	578362
General Fittings	H 16	578400
5T00	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	B 16	578468
Serie 5S00	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
General Fittings	B 16	578468
Trident	F 16	578456
	F 16 45° (PR-2B) ³⁾	574550
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	H 16	578400
Trident Gas	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.	
Giacomini Raccordi RM Giacomini	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	U 40	578386	
	Giacomini RM MULTIGAS	H 16	578400
		H 20	578406
		H 26	578410
H 32		578412	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
Giacomini Valvole Giacomini serie R650V	U 32	578382	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 15	578312	
M 18	578314		
M 22	578316		
M 28	578318		
M 35	578390		
M 15 45° (PR-2B) ³⁾	574522		
M 18 45° (PR-2B) ³⁾	574524		
M 22 45° (PR-2B) ³⁾	574526		
M 28 45° (PR-2B) ³⁾	574528		
M 35 45° (PR-2B) ³⁾	574530		
Golan Pipe Systems (Scandinavia) Alu-Press	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
Grinnell G-PRESS Copper Fittings	U 40	578386	
	VUS 1/2" (OD 15,9mm)	578566	
	VUS 3/4" (OD 22,2mm)	578568	
	VUS 1" (OD 28,6mm)	578570	
	VUS 1 1/4" (OD 34,9mm)	578606	
GS Wärmesysteme System TH	TH 14	578348	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 40	578624	
GS Wärmesysteme System V	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
H HakaGerodur HAKASAN	TH 10	578342	
	TH 11,6	578344	
	TH 12	578346	
	TH 14	578348	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	HASTINIK Hastinik/Hitpress	M 15	578312
M 18		578314	
M 22		578316	
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
heima-press	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
HELIROMA klimapress	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
HELIROMA romapress	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
Henco	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	HE 32	578370	
	HEz 40 ⁴⁾	578572	

System	Pressing contour	Art.-No.
Herotec TEMPUS-PRESS PLUS	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	HERZ PIPEFIX	U 32
U 40		578386
TH 10		578342
TH 16		578352
TH 20		578358
TH 26		578362
TH 32		578364
TH 40		578624
HIDRONIX MULTIGAS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
HIDRONIX MULTIPIPE	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
U 32	578382	
HIDRONIX UNICO	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
HITEC Sistema Multistrato	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382
	TH 14	578348
	TH 16	578352
	TH 18	578356
Hopewell press fit system	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
hp praski BAVARIA-press	M 35	578390
	TH 10	578342
	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
IBP >B< Flex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
V 12 45° (PR-2B) ³⁾	574502	
V 14 45° (PR-2B) ³⁾	574532	
V 15 45° (PR-2B) ³⁾	574504	
V 16 45° (PR-2B) ³⁾	574534	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
IBP >B< Press Carbon	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	

System	Pressing contour	Art.-No.
IBP >B< Press Gas	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press Inox	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
IBP >B< Press Solar	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 15	578328
	V 18	578332
ICMA Sempiter	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	H 16	578400
	ICMA Sempigas	H 20
H 26		578410
H 32		578412
TH 16		578352
TH 20		578358
TH 26		578362
TH 32		578364
TH 40		578624
U 16		578374
U 20		578378
ICMA Sempigas	U 32	578382
	U 40	578386
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
Idrosanitaria Bonomi Homegas	TH 26	578362
	TH 16	578352
	TH 20	578358
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
IDROSISTEMI Ta-Press	TH 18	578356
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
IDROTRADE Storm Multipinza	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	Fz 40	578478
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
IDROTRADE Storm Multistrato	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386
	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	H 16	578400
	H 20	578406
IDROTRADE StormPRES	H 26	578410
	H 32	578412
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
IDROTRADE StormSTEEL	U 40	578386
	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 40	578386
	M 15	578312
	M 18	578314
	M 22	578316
IDROTRADE StormPRES	M 28	578318
	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318

System	Pressing contour	Art.-No.	
ILTA INOX/CHIBRO Pressfitting Cuni	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ILTA INOX/CHIBRO Pressfitting inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
Instantor Copper Press Imperial	VI ½" (OD 14,7 mm)	578716	
	VI ¾" (OD 21,0 mm)	578718	
	VI 1" (OD 27,4 mm)	578720	
Instantor Copper Press Metric	M 15	578312	
	M 22	578316	
	M 28	578318	
Instantor Press System	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
IPA IPANA Press	TH 10	578342	
	TH 11,6	578344	
	TH 12	578346	
	TH 14	578348	
	TH 15	578350	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
	TH 20	578358	
	TH 22	578588	
	TH 25	578360	
	TH 26	578362	
	TH 28	578590	
	TH 32	578364	
	TH 40	578624	
	IPA THu IPANA Press	TH 16	578352
		TH 20	578358
		TH 26	578362
		TH 32	578364
TH 40		578624	
IPALPEX (Industrie du Plastique et Accessoires)	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18	578592	
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K16/P18	578592	
	K/20	578594	
	K/25	578596	
	K32	578598	
	K1/40	578600	
IPLEX PIPELINES AUSTRALIA Iplex K2	K16/P18	578592	
	K/20	578594	
	K/25	578596	
	M 15	578312	
	M 18	578314	
IVAR ALPEX-GAS	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	B 20	578472	
	B 26	578474	
IVAR Ivar-Press	B 32	578476	
	B 14	578466	
	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	B 32	578476	
IVAR MULTI PRESS GAS	Fz 40	578478	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	

System	Pressing contour	Art.-No.	
IVAR MULTI PRESS GAS ITALIA	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	IVAR Multi Press MP	TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 25	578360
		TH 26	578362
TH 32		578364	
TH 40		578624	
F 16		578456	
F 18		578458	
F 20		578460	
F 26		578462	
F 32		578464	
Fz 40		578478	
F 16 45° (PR-2B) ³⁾		574550	
F 20 45° (PR-2B) ³⁾		574552	
F 26 45° (PR-2B) ³⁾		574554	
F 32 45° (PR-2B) ³⁾		574556	
H 16		578400	
H 18		578404	
H 20		578406	
H 25	578408		
H 26	578410		
H 32	578412		
U 16	578374		
U 18	578376		
U 20	578378		
U 25	578380		
C 26	578392		
U 32	578382		
U 40	578386		
B 16	578468		
B 18	578470		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Multi Press Leak (MPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
U 16	578374		
U 20	578378		
C 26	578392		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Plastic Multi Press PMP	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
F 20 45° (PR-2B) ³⁾	574552		
F 26 45° (PR-2B) ³⁾	574554		
F 32 45° (PR-2B) ³⁾	574556		
H 16	578400		
H 20	578406		
H 25	578408		
H 26	578410		
H 32	578412		
U 16	578374		
U 20	578378		
U 25	578380		
C 26	578392		
U 32	578382		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		

System	Pressing contour	Art.-No.	
IVAR Plastic Multi Press Leak (PMPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
U 32	578382		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		
IVT PRIPRESS	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
J			
Jäger - Aquatec Aquapress H	H 14	578398	
	H 16	578400	
	H 17	578402	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 40	578386	
	Jäger - Aquatec C-Stahl Press Typ M	M 15	578312
		M 18	578314
M 22		578316	
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
Jäger - Aquatec Edelstahl Press Typ M	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
Jäger - Aquatec Kupfer Press Typ V	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
Jansen AG JANSEN prima	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
TH 32	578364		
TH 40	578624		
Jaraflex- Presssystem	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
JUNGWOO JWPress	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	VUS ½" (OD 15,9 mm)	578566	
	VUS ¾" (OD 22,2 mm)	578568	
VUS 1" (OD 28,6 mm)	578570		
VUS 1½" (OD 34,9 mm)	578606		
K			
KAN KAN-therm	U 16	578374	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
U 40	578386		

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
KAN	TH 14	578348
KAN-therm LBP	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
KAN	M 12	578310
KAN-therm	M 15	578312
Inox	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KAN	M 12	578310
KAN-therm	M 15	578312
Steel	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	U 16	578374
KELIT KELOX	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
KE KELIT	M 15	578312
COPPERFIX	M 18	578314
Kupfer	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	M 15	578312
steelFIX	M 18	578314
C-Stahl	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	M 15	578312
steelFIX	M 18	578314
Edelstahl	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KEMBLA	VAU 15 (OD 12,7 mm)	578630
KemPress	VAU 20 (OD 19,1 mm)	578632
(AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
KEMBLA	VAU 15 (OD 12,7 mm)	578630
KemPress Gas	VAU 20 (OD 19,1 mm)	578632
(AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
KISAN	KI 16	578524
Kisan KD	KI 20	578526
	KI 25	578528
	TH 16	578352
	TH 20	578358
	TH 25	578360
KISAN	KI 16	578524
Kisan WL	KI 20	578526
	KI 25	578528
	KI 32	578530
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
KISAN	KI 16	578524
Kisan WM	KI 20	578526
	KI 25	578528
	KI 32	578530
KISAN	U 20	578378
Kisan WR	U 25	578380
	U 32	578382
	U 40	578386
	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.
KISAN	M 15	578312
Kistal C	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KISAN	M 15	578312
Kistal Inox	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KME	TH 14	578348
cuprotherm CTX	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
KME	TH 14	578348
QTEC - Comap	TH 16	578352
SkinPress	TH 20	578358
	TH 26	578362
KME	H 16 A	578420
QTEC - Oventrop	H 20 A	578426
Cofit	H 26 A	578430
L		
LEGEND-PRESS	VUS ½" (OD 15,9 mm)	578566
press fitting	VUS ¾" (OD 22,2 mm)	578568
system	VUS 1" (OD 28,6 mm)	578570
	VUS 1¼" (OD 34,9 mm)	578606
LK Systems	V 12	578324
LK >B<Press	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	V 12	578324
LK >B<Press	V 15	578328
Elfözinkat	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	V 15	578328
LK >B<Press	V 18	578332
Gas	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	TH 16	578352
LK Universal	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
LVI-DAHL	U 16	578374
Altech-Aluonex	U 20	578378
	U 25	578380
	U 32	578382
M		
Meier Tobler	U 16	578374
Metalplast - Stramax	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
MAINCOR	U 16	578374
MAINPRESS	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
MAINCOR	U 16	578374
MAINFLOR	U 20	578378
Mair Heiztechnik	M 12	578310
Gomafix Cu/E ¹⁾	M 15	578312
	M 18	578314
	M 22	578316
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
Mair Heiztechnik	H 11,5	578394
Gomafix M	H 14	578398
	H 16	578400
	H 20	578406

System	Pressing contour	Art.-No.
Mair Heiztechnik	H 11,5	578394
M-Press	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
Ma.s.ter System	TH 14	578348
PRESSMASTER	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
METALGRUP	U 16	578374
Permatubo	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
METALGRUP	RFz 16	578492
PexGrup	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
METALGRUP	U 16	578374
MultiGrup	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Mueller Industries	VUS ½" (OD 15,9 mm)	578566
Streamline PRS	VUS ¾" (OD 22,2 mm)	578568
	VUS 1" (OD 28,6 mm)	578570
	VUS 1¼" (OD 34,9 mm)	578606
MULTITHERM	TH 16	578352
PRESSSYSTEM	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Multicapas	RFz 16	578492
Industrial	RFz 20	578494
AIS PEX	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Multicapas	MT 20	578560
Industrial	MT 25	578562
multitubo systems	MT 32	578564
MC	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Multicapas	H 16	578400
Industrial	H 20	578406
multitubo systems	H 25	578408
MM	H 26	578410
	H 32	578412
	MT 20	578560
	MT 25	578562
	MT 32	578564
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
N		
NEUTHERM	H 16	578400
MEKUPRESS-HT	H 20	578406
	H 26	578410
	H 32	578412
NIBCO (USA)	VUS ½" (OD 15,9 mm)	578566
Press System	VUS ¾" (OD 22,2 mm)	578568
Copper	VUS 1" (OD 28,6 mm)	578570
	VUS 1¼" (OD 34,9 mm)	578606
Nicoll Fluxo	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.	
NUPI Industrie Italiane Multinupi	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 18	578458	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
	U 40	578386	
	Nussbaum Optifitt-Press	VMP 3/4" (OD 17,2 mm)	578660
		VMP 1/2" (OD 21,3 mm)	578662
		VRX 16	578640
		VRX 20	578644
	Nussbaum Optiflex-Flowpress	VRX 16	578640
		VRX 20	578644
VRX 25		578644	
VRX 32		578646	
Nussbaum Optipress Aquaplus	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
Nussbaum Optipress Gaz	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
Nussbaum Optipress-Therm	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
O			
O.M.T. - Press	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
Oventrop Cofit P	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
Oventrop Cofit PD	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
Oventrop Cofit PDK	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
Oventrop Cofit PD-HT	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
Oventrop Cofit PDK-HT	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
P			
PBtub SERTIPRESS	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	

System	Pressing contour	Art.-No.
PBtub SERTI-STEEL ¹⁾	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Pegler Yorkshire XPress Carbon	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
Pegler Yorkshire XPress Copper	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
Pegler Yorkshire XPress Gas	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Pegler Yorkshire XPress Stainless	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Pegler Yorkshire XPress Stainless Gas	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
PERFEXIM "PERFEKT SYSTEM"	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
PERFILTUBO PERFILALUPEX	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
PERFILTUBO PERFILPRESS	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
PEXTUBE PexTube	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Pipelife C-PRESS	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
Pipelife RADOPRESS	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Pipetec Connect	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
PLASTICA ALFA Multiplex	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.
PLASTICA ALFA Multiplex Air	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multiplexalfa Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multiplexalfa Gas protek	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multiplex Plus	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multiplex Thermo	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multiplex Thermo Plus	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLÁSTICOS FERRO FERROPLAST GPF MC PRESS	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Pressfitting MULTICAPA	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
PLÁSTICOS FERRO FERROPLAST GPF PPSU	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Pressfitting PE-X y MULTICAPA	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Pressfitting PE-X MULTICAPA	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
PLUMBING PLUS EZIPEX Crimp (AUS)	K16/P18	578592
	K/20	578594
	K/25	578596
	K/32	578598
PLUMBING PLUS EZIPEX Gas (AUS)	K1/40	578600
	K16/P18	578592
	K/20	578594
	K/25	578596
PLUMBING PLUS EZIPEX Solar (AUS)	K/32	578598
	K1/40	578600
	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
PLUMBING PLUS EZIPEX Water (AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
	VAU 15 45° (PR-2B) ³⁾	574540
	VAU 20 45° (PR-2B) ³⁾	574542
POLYPIPE POLYSURE	TH 10	578342
	TH 15	578350
	TH 22	578358
	TH 28	578366
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
POLYSAN- C Stahl-Press- System M	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	M 15	578312
	M 18	578314
POLYSAN- Edelstahl Press-System Gas	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
POLYSAN- Edelstahl Press-System Gas	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
POLYSAN	M 15	578312
Handelsges.	M 18	578314
m.b.H. & Co KG	M 22	578316
(Krems/Öster- reich)	M 28	578318
M 35	578390	
POLYSAN- Edelstahl	M 15 45° (PR-2B) ³⁾	574522
Press-System	M 18 45° (PR-2B) ³⁾	574524
Wasser	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
POLYSAN	TH 14	578348
Handelsges.	TH 16	578352
m.b.H. & Co KG	TH 17	578354
(Krems/Öster- reich)	TH 18	578356
TH 20	578358	
TH 26	578362	
POLYSAN- Press-System	TH 32	578364
	TH 40	578624
POLYSAN	TH 14	578348
Handelsges.	TH 16	578352
m.b.H. & Co KG	TH 17	578354
(Krems/Öster- reich)	TH 18	578356
TH 20	578358	
POLYSAN-Henco- Press-System	TH 26	578362
	HE 32	578370
	HEz 40 ⁴⁾	578572
POLYSAN	U 16	578374
(España)	U 18	578376
Rainbow	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Prandelli	H 14	578398
Multyrama Pf	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 40	578386
Prandelli	H 16	578400
Multyrama Pfm	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	U 40	578386

R		
Raccorderie	M 15	578312
Metallische	M 18	578314
aesPRES ¹⁾	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Raccorderie	M 15	578312
Metallische	M 18	578314
inoxPRES ¹⁾	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Raccorderie	M 15	578312
Metallische	M 18	578314
steelPRES ¹⁾	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
RBM Tita-gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
RBM Tita-fix	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	F 16	578456
	F 18	578458
	F 20	578460
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378

System	Pressing contour	Art.-No.
Redi Nicoll Fluxo	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Redi Nicoll Fluxo	TH 16	578352
Gas	TH 20	578358
	TH 26	578362
RETTIG HEATING	F 16	578456
Purmo Cleverfit Radial	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
RIFENG LD	LD 16	578652
PRESS FITTING	LD 20	578654
(F8)	LD 25	578656
RIFENG U	U 14	578372
PRESS FITTING	U 16	578374
(F5)	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
RIFENG TH	TH 16	578352
PRESS FITTING	TH 20	578358
(F9)	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
RIQUIER	RFz 12	578490
A SERTIR	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
Roth PressCheck	RN 14	578434
	RN 16	578434
	RN 17	578436
	RN 20	578438
	RN 25/26	578440
	RN 32	578442
Roth España - Global Plastic	TH 16	578352
Rothapress	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
Rubinetterie	TH 14	578348
Bresciane	TH 16	578352
Bonomi	TH 18	578356
TURBO PRESS	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Rubinetterie	TH 16	578352
Bresciane	TH 20	578358
Bonomi	TH 26	578362
TURBO PRESS	TH 32	578364
GAS		

S		
SA.MI plastic	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
SA.MI plastic	TH 16	578352
Multistrato Gas	TH 20	578358
	TH 26	578362
	TH 32	578364
SANHA	B 16	578468
3fit-Press Pb-free	B 20	578472
Serie 25000	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	Fz 40	578478
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386

System	Pressing contour	Art.-No.
SANHA	B 16	578468
3fit-Press PPSU	B 20	578472
Serie 35000	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
SANHA-NiroSan	SA 15	578514
Gas Presssystem	SA 18	578518
Serie 17000	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
SANHA-NiroSan	SA 15	578514
Industry	SA 18	578518
Presssystem	SA 22	578520
Serie 18000	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
SANHA-NiroSan- Presssystem	SA 15	578514
Serie 9000	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA NiroTherm Serie 91000	SA 15	578514
		SA 18	578518
SA 22		578520	
SA 28		578522	
M 15 ¹⁾		578312	
M 18 ¹⁾		578314	
M 22 ¹⁾		578316	
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
V 15 ¹⁾		578328	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
SANHA NiroTherm Industry Serie 98000		SA 15	578514
		SA 18	578518
	SA 22	578520	
	SA 28	578522	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA-Press Chrom Serie 16000	SA 12	578510
		SA 15	578514
SA 18		578518	
SA 22		578520	
SA 28		578522	
M 12		578310	
M 15 ¹⁾		578312	
M 18 ¹⁾		578314	
M 22 ¹⁾		578316	
M 28		578318	
M 12 45° (PR-2B) ³⁾		574520	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 12		578324	
V 12		578328	
V 15 ¹⁾		578332	
V 18 ¹⁾		578334	
V 22 ¹⁾		578336	
V 28		578336	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾	574512		

System	Pressing contour	Art.-No.
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 16	578340
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	VG 14 45° (PR-2B) ³⁾	574536
	V 15 45° (PR-2B) ³⁾	574504
	VG 16 45° (PR-2B) ³⁾	574538
	V 18 45° (PR-2B) ³⁾	574506
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Press Pressfittings Serie 6000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 14	578338
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
V 22 ¹⁾	578334	
V 28	578336	
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502	
VG 14 45° (PR-2B) ³⁾	574536	
V 15 45° (PR-2B) ³⁾	574504	
VG 16 45° (PR-2B) ³⁾	574538	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	

System	Pressing contour	Art.-No.
SANHA PURAPRESS Serie 8000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12 ¹⁾	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28 ¹⁾	578318
	M 35 ¹⁾	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 14	578338
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
	VG 16	578340
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	VG 14 45° (PR-2B) ³⁾	574536
	V 15 45° (PR-2B) ³⁾	574504
VG 16 45° (PR-2B) ³⁾	574538	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Therm Serie 24000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 14	578338
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502	
V 15 45° (PR-2B) ³⁾	574504	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Therm Industry Serie 28000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22 V ACC and REMS Mini-Press S 22 V ACC

System	Pressing contour	Art.-No.
SANITOP PERMATUBO INOX	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
SANPRO THPRESS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
SATEC SK ViTerm	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Schütz duo-flex tri-o-flex	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
Schwer Fittings AQUApress	TH 25	578360
	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
Seppelfricke VSH SudoPress C-Stahl Visu-Control	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
Seppelfricke Seppelfricke VSH SudoPress Edelstahl Visu-Control	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Seppelfricke VSH SudoPress Kupfer Visu-Control	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 12	578324
	V 15	578328
	V 18	578332
Seppelfricke VSH SudoPress Kupfer Gas Visu-Control	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 15	578328
Seppelfricke VSH XPress C-Stahl	V 18	578332
	V 22	578334
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
Seppelfricke VSH XPress Edelstahl gas	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
Seppelfricke VSH XPress Edelstahl	M 28 ¹⁾	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
Seppelfricke VSH XPress Edelstahl gas	M 28 ¹⁾	578318
	M 35	578390

System	Pressing contour	Art.-No.	
Seppelfricke VSH XPress Kupfer	M 12	578310	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
Seppelfricke VSH XPress Kupfer gas	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	TH 14	578348	
	TH 16	578352	
	TH 20	578358	
SESTA SESTA GAS	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	TH 12	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
SESTA sistema multistrato	TH 20	578358	
	H 16	578400	
	H 20	578406	
	TH 12	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
SIGMA LI Premium	U 16	578374	
	U 20	578378	
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
SLOVARM PEX-THERM	U 16	578374	
	U 20	578378	
	H 26	578410	
	U 32	578382	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
STANDARD HIDRAULICA MultiStandard	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
STELBI Polikraft	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
STELBI Stelgas	U 20	578378	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	STPC STPEX	TH 32	578364
		TH 40	578624
		TH 16	578352
		TH 20	578358
		TH 26	578362
		System Ewoprex	TH 32
TH 40			578624
H 16			578400
H 20			578406
H 26			578410
H 32	578412		
TH 16	578352		
TH 20	578358		
TH 26	578362		
TH 32	578364		
System WELCO-Gas	U 16	578374	
	U 20	578378	
	U 32	578382	
	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
	System WOPREX	H 14 A	578418
		H 16 A	578420
		H 17 A	578422
H 20 A		578426	
H 26 A		578430	
H 32 A		578432	
TDM BRASS Serie 1600		H 16	578400
		H 18	578404
		H 20	578406
		H 25	578408
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
UPONOR MLC	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	

System	Pressing contour	Art.-No.
TDM BRASS Serie 1700 gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	THL 32	578368
TermoConcept TC-PRESS	Basic E01 ³⁾	578618
THERMOLUTZ	H 14	578398
	H 16	578400
	TH 20	578358
	TH 26	578362
TE-SA TE-SA press serie 800	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
TIEMME AL-COBRAPEX Serie 1650	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 14	578348
TIEMME Serie 1700 PE-X a pressare	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
TIEMME TIEMME Gas	TH 26	578362
	THL 32	578368
	TH 16	578352
	TH 20	578358
TIEMME Serie 1700 PE-X a pressare	TH 26	578362
	THL 32	578368
	RFz 12	578490
	RFz 16	578492
TIEMME Serie 1700 PE-X a pressare	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
TIGRE ALPEX GAS	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 14	578348
TKM Systemtechnik	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
TRA MULTITRAPRESS	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
TRA TRAPRESS	U 25	578380
	U 32	578382
	U 40	578386
	H 12	578396
TRA TRAPRESS	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
TWEETOP	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
UNICAL AG MAX-MULTIPEX	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
UNIDELTA DeltAll	U 32	578382
	U 40	578386
	TH 16	578352
	TH 20	578358
UNIDELTA DeltAll GAS	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
UPONOR MLC	H 20	578406
	H 26	578410
	H 32	578412
	H 32	578412
UPONOR MLC-D	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
UPONOR MLC-G	UP 14	578576
	UP 16	578578
	UP 18	578580
	UP 20	578582
UPONOR S-Press PLUS	UP 25	578584
	UP 32	578586
	UP 40	578588
	UP 20	578582
UPONOR S-Press PLUS	UP 25	578584
	UP 32	578586
	UP 40	578588
	UP 20	578582

U

T

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
Uponor Uni Pipe PLUS	UP 16	578578	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	
V			
Valsir Bravopress	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	H 32 V	578602	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	Valsir PEXAL	H 14	578398
		H 16	578400
		H 20	578406
		H 26	578410
H 32		578412	
H 32 V		578602	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
C 26		578392	
U 32		578382	
Van Marcke NV Tubipex	TH 16	578352	
	TH 17	578354	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
Van Marcke NV Tubipress	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	Variotherm System TH	TH 11,6	578344
TH 16		578352	
TH 20		578358	
VESBO VPREMIUM	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	Viega Fonterra	VX 12	578550
VP 14/15		578480	
VP 16/17		578482	
VP 20		578484	
VP 25		578486	
Viega MegaPress		VMP ¾" (OD 17,2 mm)	578660
	VMP ½" (OD 21,3 mm)	578662	
	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Pexfit	VX 16	578552	
	VX 20	578554	
Viega Pexfit Fosta G	VX 25	578556	
	Viega Prestabo	V 12	578324
V 15		578328	
V 18		578332	
V 22		578334	
V 28		578336	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
Viega Profipress		V 12	578324
		VG 14	578338
		V 15	578328
		VG 16	578340
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	VG 14 45° (PR-2B) ³⁾	574536	
	V 15 45° (PR-2B) ³⁾	574504	
	VG 16 45° (PR-2B) ³⁾	574538	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
Viega Profipress G	V 12	578324	
	VG 14	578338	
	V 15	578328	
	VG 16	578340	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	VG 14 45° (PR-2B) ³⁾	574536	
	V 15 45° (PR-2B) ³⁾	574504	
	VG 16 45° (PR-2B) ³⁾	574538	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
Viega Profipress S	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
V 15 45° (PR-2B) ³⁾	574504		
V 18 45° (PR-2B) ³⁾	574506		
V 22 45° (PR-2B) ³⁾	574508		
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
Viega Profipress Therm	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508		
Viega ProPress System USA	VUS ½" (OD 15,9 mm)	578566	
	VUS ¾" (OD 22,2 mm)	578568	
	VUS 1" (OD 28,6 mm)	578570	
	VUS 1¼" (OD 34,9 mm)	578606	
	Viega ProPress WATER System AUS	VAU 15 (OD 12,7 mm)	578630
VAU 20 (OD 19,1 mm)		578632	
VAU 25 (OD 25,4 mm)		578634	
VAU 32 (OD 31,8 mm)		578636	
Viega ProPressG GAS System AUS		VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
	VAU 32 (OD 31,8 mm)	578636	
	Viega Raxinox	VRX 16	578640
VRX 20		578642	
Viega Raxofix		VRX 16	578640
	VRX 20	578642	
	VRX 25	578644	
	VRX 32	578646	
	Viega Sanfix	VP 16/17	578482
		VP 20	578484
VP 25		578486	
VP 32		578488	
Viega Sanpress		V 12	578324
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
Viega Sanpress Inox	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	

System	Pressing contour	Art.-No.	
Viega Sanpress Inox G	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	Viega SudoPress Carbon	V 12	578324
		V 15	578328
		V 18	578332
		V 22	578334
		V 28	578336
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
Viega SudoPress Copper		V 12	578324
		V 15	578328
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	Viega SudoPress Gas	V 12	578324
		V 15	578328
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
Viega SudoPress Stainless		V 12	578324
		V 15	578328
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	Viega XPress Carbon	M 12	578310
		M 15	578312
M 18 ¹⁾		578314	
M 22		578316	
M 28 ¹⁾		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾		574520	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
Viega XPress Copper		M 12	578310
		M 15	578312
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	Viega XPress Stainless	M 15	578312
		M 18 ¹⁾	578314
M 22		578316	
M 28 ¹⁾		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	

System	Pressing contour	Art.-No.
Viega Sanpress Inox G	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	Viessmann	TH 14
TH 16		578352
TH 20		578358
TH 26		578362
TH 32		578364
Vogel & Noot EASYTEC	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
VSH MultiPress	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 25	578360
VSH SudoPress Carbon	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	VSH SudoPress Copper	V 12
V 14		578326
V 15		578328
V 16		578330
V 18		578332
V 22		578334
V 28		578336
VSH SudoPress Copper Gas	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
VSH SudoPress Stainless	V 12	578324
	V 14	578326
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
VSH XPress Carbon	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	57839

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22 V ACC and REMS Mini-Press S 22 V ACC

System	Pressing contour	Art.-No.
VSH	M 15	578312
XPress Stainless	M 18 ¹⁾	578314
Gas	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
W		
Watts MTR	TH 16	578352
Art press	TH 20	578358
	TH 26	578362
	TH 32	578364
	US ¾"	578534
RADIANT	US ½"	578536
Watts WaterPEX	US ¾"	578538
	US 1"	578540
Watts	US ¾"	578534
RADIANT	US ½"	578536
Watts	US ¾"	578538
RadiantPEX	US 1"	578540
Watts	U 16 (½")	578374
RADIANT	U 20 (¾")	578378
Watts	U 25 (¾")	578380
RadiantPEX-AL	U 32 (1")	578382
Wavin	U 14	578372
Tigris K1/K5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Wavin	U 14	578372
Tigris M1/M5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
WeeConPress	M 12	578310
Alu	M 15	578312
	M 18	578314
	M 22	578316
M 28	578318	
M 35	578390	
M 12 45° (PR-2B) ³⁾	574520	
M 15 45° (PR-2B) ³⁾	574522	
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
M 35 45° (PR-2B) ³⁾	574530	
V 12	578324	
V 15	578328	
V 18	578332	
V 22	578334	
V 28	578336	
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502	
V 15 45° (PR-2B) ³⁾	574504	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SA 12	578510	
SA 15	578514	
SA 18	578518	
SA 22	578520	
SA 28	578522	

System	Pressing contour	Art.-No.	
WeeConPress	M 12	578310	
C-Stahl	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	WeeConPress	M 12	578310
	Inox	M 15	578312
M 18		578314	
M 22		578316	
M 28		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾	574520		
M 15 45° (PR-2B) ³⁾	574522		
M 18 45° (PR-2B) ³⁾	574524		
M 22 45° (PR-2B) ³⁾	574526		
M 28 45° (PR-2B) ³⁾	574528		
M 35 45° (PR-2B) ³⁾	574530		
WeeConPress	M 12	578310	
Kupfer	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	WeeConFlex	H 16	578400
	MVR	H 20	578406
H 26		578410	
H 32		578412	
U 40		578386	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
WEM		U 16	578374
WIELAND	TH 14	578348	
cuprotherm	TH 16	578352	
CTX	TH 18	578356	
	TH 20	578358	
TH 26	578362		
WKS-Press	TH 14	578348	
TH 16	578352		
TH 17	578354		
TH 20	578358		
TH 26	578362		
TH 32	578364		
TH 40	578624		
WÜRTH	TH 16	578352	
Würth	TH 20	578358	
	TH 26	578362	
	HE 32	578370	

System	Pressing contour	Art.-No.	
X			
XtraConnect	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	(DN 26)	U 25	578380
U 32	578382		
VP 16	578482		
VP 20	578484		
VP 32	578488		
Z			
Zetaesse	TH 14	578348	
Multistrato	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
EUROPEX	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	Zetaesse	TH 14	578348
	Multistrato	TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 26	578362
		TH 32	578364
ISOPEX	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	Zetaesse	TH 14	578348
	Multistrato	TH 16	578352
		TH 18	578356
		TH 20	578358
TH 26		578362	
TH 32		578364	
ZEWOTHERM	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	Zetaesse	TH 14	578348
	Multistrato	TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 26	578362
		TH 32	578364
Zewo Press Premium	TH 12	578346	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
	TH 20	578358	
ZEWOTHERM	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Zewo Press PPSU	TH 16	578352
	TH 20	578358	
TH 26	578362		
TH 32	578364		
ZURN	US ¾"	578534	
INDUSTRIES	US ½"	578536	
	US ¾"	578538	
ZURN PEX	US 1"	578540	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

Accessories

Description	Art.-No.
Adapter tongs Mini Z1 for driving REMS pressing rings 45° (PR-2B)	578558
Steel case with insert for adapter tongs Mini Z1 and adapter tongs Z1 and 6 REMS pressing rings V 12–35 45° (PR-2B) or M 12–35 45° (PR-2B) or F 16–32 45° (PR-2B)	574516
Steel case with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295
L-Boxx system case with inserts for 11 pressing tongs Mini and 6 pressing rings 45° (PR-2B)	578659

